

PRODUCT CATALOGUE

LAWN AND GARDEN EQUIPMENT



DISTRIBUTED BY:



PO BOX 1450
Waterdown, ON LOR 2H0

Tel: (905) 581-2292
Fax: (905) 581-2293
Email: sales@trade-logix.com
www.trade-logix.com

TABLE OF CONTENTS

POLY DUMP CARTS Page 2

STEEL DUMP CARTS Page 3

LAWN ROLLERS Page 4

LAWN AERATORS & TINE DE-THATCHERS Page 5

LAWN SWEEPERS Page 6

TOW-BEHIND SPREADERS / SEEDERS Page 7

ALL SEASON BROADCAST SPREADERS Page 8

DRAG HARROWS Page 9

LOG SPLITTERS Page 10

ATV ATTACHMENTS Page 11

MOWER LIFTS (MOJACK) Page 12

SHOP TOOLS AND ACCESSORIES Page 13

POLY DUMP CARTS



The 650 LB Poly T-Handle Dump Cart is a durable cart loaded with features. The Foot Pedal release mechanism, T-Handle, and fold-back tongue makes for a great versatile trailer. This trailer can be used as a as a tow-behind or manual push utility cart.

The 500 LB Poly Dump Cart with standard loop handle moves loads with ease. The one-piece poly bed is both durable and quiet. The Loop handle and fold-back tongue makes dumping and manual maneuverability easy with any load.



SPECIFICATIONS	650 LB T-Handle	500 LB Loop Handle
MODEL NO.	TL22134	TL22111
CAPACITY	650 LB	500 LB
BED SIZE	44.2" L x 33" W x 10.6" H	41" L x 30 1/2" W x 11" H
WHEEL SIZE	16" x 5 1/2"	16" x 3 1/2"
WHEEL TYPE	Pneumatic	Pneumatic
GROSS WEIGHT	75 LBS	63 LBS
NET WEIGHT	67 LBS	56 LBS
PACKAGE SIZE	44.3" L x 33.7" W x 11.4" H	44.3" L x 33.7" W x 11.6" H

STEEL DUMP CARTS



500 LB DUMP CART

Model No: TL22101

The 500 LB Steel Dump Cart is our standard but sturdy utility trailer with a pin-release dump mechanism.

500 LB R-PIN DUMP CART

Model No: TL22124

This 500 LB Steel Dump Cart has an up-graded foot release mechanism for easy dumping and R-Pin side panels for easy assembly and loading.



500 LB DUMP CART W/ FOOT RELEASE

Model No: TL22139

New value-priced 500 LB Steel Dump Cart with 13" Pneumatic Tires and foot release dump mechanism.

SPECIFICATIONS	500 LB	500 LB	500 LB
MODEL NO.	TL22101	TL22124	TL22139
CAPACITY	500 LB	500 LB	500 LB
BED SIZE	40 ½" x 32 ½" x 11½"	40 ½" x 32 ½" x 11½"	38" x 30" x 12"
WHEEL SIZE	16" x 3 ½"	16" x 3 ½"	13" x 3 ½"
WHEEL TYPE	Pneumatic	Pneumatic	Pneumatic
GROSS WEIGHT	84 LBS	85 LBS	68.3 LBS
NET WEIGHT	79 LBS	81 LBS	61.7 LBS
PACKAGE SIZE	42 ½" x 19" x 7 ½"	43" x 17 ½" x 10 ¼"	40 ½" x 29 ½" x 4 ½"




36" LAWN ROLLER

Model No: TL45101
Heavy-Duty Steel Construction
Easy-Fill Fitting for adding water
Loaded Weight: 280 LBS
Unit Weight: 110 LBS / 50 KGS



48" LAWN ROLLER

Model No: TL45201
Heavy-Duty Steel Construction
Easy-Fill Fitting for adding water
Loaded Weight: 380 LBS
Unit Weight: 124 LBS / 56 KGS



36" DRUM SPKE AERATOR

Model No: TL31104
Heavy-Duty Steel Construction
78 Steel Spikes penetrates ground up to 2-1/2"
Easy-Fill Fitting for adding water
Loaded Weight: 275 LBS
Unit Weight: 119 LBS / 54 KGS



48" DRUM SPKE AERATOR

Model No: TL31111
Heavy-Duty Steel Construction
108 Steel Spikes penetrates ground up to 2-1/2"
Easy-Fill Fitting for adding water
Loaded Weight: 375 LBS
Unit Weight: 137 LBS / 62 KGS

LAWN AERATORS & TINE DE -THATCHERS

The key to maintaining a healthy and lush lawn is ensuring that the soil has adequate water, air and nutrients in the top 6 to 10 inches. Aeration opens the soil, helps reduce compaction, improves water infiltration, improves rooting, reduces thatch and acts in many other ways to improve the lawn and to reduce stress.

Our Plug Aerators and De-Thatcher are available in various models and sizes to suit your requirements.



SPECIFICATIONS	40" De-Thatcher	32" Spike	40" Plug	48" Plug
MODEL NO.	TL31101	TL31103	TL31106	TL31102
WIDTH	40"	32"	40"	48"
TRAY CAPACITY	70 lbs	50 lbs	100 lbs	140 lbs
CORE	20 Steel Tines	64 tine tips	24 Points	32 Points
PENETRATION	n/a	2" Max	3" Max	3" Max
TIRES	7" Rubber Tire	N/A	10" Pneumatic	10" Pneumatic
NET WEIGHT	31 lbs	25 lbs	72.7 lbs	92.5 lbs

Our Yard Commander Lawn Sweepers feature large capacity collector bags and sweeping paths in various sizes allowing you to get your lawn done quickly. Each of the units feature a height adjustment for collection of both grass clippings and leaves. The large 10" diameter brush wheel provides a strong brush to wheel turning ratio. The large hitch clearance height ensures correct positioning for garden and lawn tractors, as well as ATVs, of various sizes.



SPECIFICATIONS	38" Sweeper	42" Sweeper	48" Sweeper
MODEL NO.	TL31105	TL31108	TL31109
CAPACITY	12 CU FT	12.9 CU FT	14.6 CU FT
WIDTH	38"	42"	48"
BRUSH DIA.	10"	10"	10"
WHEEL SIZE	10" x 1-3/4"	10-1/2" x 2-3/8"	10-1/2" x 2 3/8
WEIGHT (Net)	68 lbs	77 lbs	86 lbs

Yard Commander Tow-Behind Spreaders are ideal for fertilizing or seeding in the summer or for spreading ice melt in the winter. With the choice of three tow-behind Spreaders, no job is too large. The durable and solid design of our spreaders ensures an even and continuous flow and spread of materials, whatever the application.



SPECIFICATIONS	80LB	125LB	175LB	175LB DROP
MODEL NO.	TL31507	TL31508	TL31510	TL31511
CAPACITY	80 lbs / 29 L	125 lbs / 60 L	175 lbs / 88 L	175 lbs / 80L
SPREAD WIDTH	10' – 12'	10' – 12'	10' – 12'	42" Controlled
TIRES	12" Pneumatic	12" Pneumatic	14" Pneumatic	14" Pneumatic
GEAR	Heavy Duty Nylon	Heavy Duty Aluminum	Heavy Duty Aluminum	N/A
NET WEIGHT	23.6 lbs	25.6 lbs	52.9 lbs	42 lbs

These Spreaders are designed for both residential and or light to medium commercial use. They are fully adjustable to provide consistent and even spread of material. Our Spreaders are equipped with easy-roll pneumatic wheels, rust proof poly hoppers and stainless steel hardware. These spreaders are great for grass seed, fertilizer and all types of other granular products.



90LB ALL SEASON SPREADER

Model No: TL31553
 Capacity: 90LB (33 Litre)
 Spread Width: 10' – 12'
 10" Pneumatic Wheel with Plastic Rim
 Heavy Duty Nylon Gear
 Stainless Hardware: Nut, Bolts, Axle, and Shaft
 Accessories: Hopper Screen & Rain Cover, Deflector Kit
 Weight: 24.2 LBS / 11 KGS



80LB SALT SPREADER

Model No: TL31528
 Capacity: 80LB (29 Litre)
 Spread Width: 10' – 12'
 12" Pneumatic Wheel with Plastic Rim
 Heavy Duty Nylon Gear
 Stainless Parts: Frame, Gauge Plate, Wheel Axle, Vertical Axel, and Hardware
 Accessories: Hopper Screen & Rain Cover, Deflector Kit
 Weight: 24.2 LBS / 11 KGS



125LB SALT SPREADER

Model No: TL31520
 Capacity: 125LB (60 Litre)
 Spread Width: 10' – 12'
 Coverage: 25,000 sq.ft
 Spread Width: 10' – 12'
 14" Pneumatic Wheel with Plastic Rim
 Heavy Duty Stainless Steel Gear
 Stainless Parts: Frame, Gauge Plate, Wheel Axle, Vertical Axel, and Hardware
 Accessories: Hopper Screen & Rain Cover, Deflector Kit
 Weight: 40.8 LBS / 18.5 KGS

DRAG HARROWS



FEATURES:

- **Heavy and Light Duty Drag Harrows to match your requirements**
- **Available in 5.5' lengths and 4' to 8' widths**
- **Made of durable Carbon Steel**
- **Numerous applications and uses**
- **Maintenance-Free design**

MODEL	DESCRIPTION	DIMENSION (FT)	N.W (lbs)	G.W (lbs)
TL31113	4.5' Heavy Duty Drag Harrow	4 ½" W x 5 ½' L	128	176
TL31117	4' Light Drag Harrow	4' W x 5' L	41	44



IDEAL FOR MANY APPLICATIONS:

- **Soil Aeration**
- **Leveling Soil & Dirt**
- **Horse Track Maintenance**
- **Riding/Jumping Arenas**
- **Lane-Way Maintenance**
- **Ball Diamonds**
- **Seed Bed Preparation**
- **Trail Maintenance**
- **Weed Control**



12 TON COMPACT LOG SPLITTER

Model No: TL23347
Capacity: 12 TON
Engine: 6.5HP LCT OHV
Gear Pump: Single Stage
Oil Capacity: 1.06 Gal. / 4L
Cylinder: 3 1/8" x 16 1/8"
Operates in horizontal position
Splits logs up to 19.5" long
Universal Pin Type coupler
12 Seconds Cycle Time
Weight: 177 LBS / 80 KGS



20 TON DUAL ACTION LOG SPLITTER

Model No: TL23343
Capacity: 20 TON
Engine: 6.5HP LCT
Gear Pump: 2 Stage, 8 GPM
Oil Capacity: 2.25 Gal. / 8.5L
Cylinder: 4" x 23"
3500 Maximum Pressure
Operates in horizontal position
Splits logs up to 24" long and 12" in diameter
Auto Return Valve
27 Seconds Cycle Time
16" Pneumatic Wheels for Highway Hauling
Weight: 439 LBS / 199 KGS



22 TON LOG SPLITTER

Model No: TL23308
Capacity: 22 TON
Engine: 6.5HP LCT
Gear Pump: 2 Stage, 11 GPM
Oil Capacity: 3.2 Gal. / 12L
Cylinder: 4" x 23"
3500 Maximum Pressure
Operates in either vertical or horizontal position
Splits logs up to 24" long and 12" in diameter
Auto Return Valve
15 Seconds Cycle Time
16" Pneumatic Wheels for Highway Hauling
Weight: 445 LBS / 202 KGS



ATV Trailers made of heavy gauge steel ensuring durability and ruggedness to handle any trail conditions and use. The beds have high clearance enabling access through the roughest of terrain. The tires are large and extra wide in diameter to easily transport heavy loads over rocks, stumps, and across mud bogs.



MODEL NO	DESCRIPTION	DIMENSIONS	Tires	N.W (lbs)
TL22138	700lb ATV Trailer	42" x 30" x 16"	18" x 9"	164.3
TL31117	750lb Flatbed ATV Cart	34" x 48"	18" x 9"	134.4

Our ATV Broadcast Spreaders and Discs are perfect for deep woods, wildlife food plots, small gardens, row cultivation, or yard prep work.



12V 80LB Spreader
MODEL NO. TL31506



350LB Spreader
MODEL NO. TL31501



Tow-Behind ATV Disc
MODEL NO. TL31405

SIMPLIFY MOWER MAINTENANCE

with **MoJack**

- All-in-one units that will lift virtually every tractor style and ZTR mower on the market
- Folds flat and light weight for easy storage
- Easily lift mower with one hand or power drill
- Compatible with the **MoJack WorkBench Attachment**



MoJack is great for:

- Grounds Care Professionals
- Landscapers
- Municipalities / Schools / Courthouses
- Parks & Recreation Departments
- Service Shops
- Hobby Farmers
- Homeowners
- MTV / ATV Owners



Which MoJack is right for you?

	Lift Height	Lifting Capacity	Self Braking Winch	Screw Jack	WorkBench Compatible	Compatible Outside Front Wheel Dimensions	Stores Flat	Suggested Use
MoJack PRO	28"	750lbs.	Yes	No	Yes	31.5" - 62.5"	Yes	Commercial
MoJack XT	25"	500lbs.	No	Yes	Yes	31.5" - 62.5"	Yes	Commercial & Residential
MoJack EZ	24"	300lbs.	No	Yes	Yes	35.5" - 47.5"	Yes	Residential

TRADE LOGIX

TEL: (905)581-2292 FAX: (905)581-2293 EMAIL: sales@trade-logix.com
WWW.TRADE-LOGIX.COM



SHOP TOOLS AND ACCESSORIES



3 Piece Steel Job Box Set
Model No: TL19107

1000LB Wheel Dolly Set (1 Pair)

Model No: TL13201
3.5" Swivel Casters



600LB Trailer Dolly
Model No: TL22301
1 7/8" Hitch Ball; 10" Pneumatic Tires



Kneeling Creeper
Model No: TL07701



Adjustable Seat Creeper
Model No: TL07401



Mechanics Creeper
Model No: TL6206



3.5 Gallon Parts Washer
Model No: TL34102



Tabletop Sandblast Cabinet
Model No: TL32201

DISTRIBUTED BY:



TRADE LOGIX
PO Box 1450
Waterdown, ON
Canada L0R 1K0

Tel: (905) 581-2292
Fax: (905) 581-2293
Email: sales@trade-logix.com
Website: www.trade-logix.com